


PANDEMIC PLAN: ISOLATION GUIDE



These documents have been voluntarily contributed by NOREX Members with the full knowledge that other Members may use them in any manner they see fit.

NOREX and its Members shall not be held liable for any statements or interpretations contained within the documents.

<u>Pandemic Preparedness Plan –</u> <u>Appendix C – Isolation Precaution</u> <u>Standards</u>

1. SCOPE

This document defines pandemic preparedness plan requirements for staff at [ORG].

2. PURPOSE

To provide a fluid and flexible guideline for dealing with the problems associated with a pandemic influenza outbreak and not as strict procedure.

3. PROCEDURE/REQUIREMENTS

Table 1 – Summary of Infection Control Recommendations for Care of Patients with Pandemic Influenza

COMPONENT	RECOMMENDATIONS
STANDARD PRECAUTIONS See www.cdc.gov/ncidod/hip/ISOLAT/std prec excerpt.htm	
Hand Hygiene	Perform hand hygiene after touching blood, body fluids, secretions, excretions, and contaminated items; after removing gloves; and between patient contacts. Hand hygiene includes both hand washing with either plain or antimicrobial soap and water or use of alcohol-based products (gels, rinses, foams) that contain an emollient and do not require the use of water. If hands are visibly soiled or contaminated with respiratory secretions, they should be washed with soap (either non-antimicrobial or antimicrobial) and water. In the absence of visible soiling of hands, approved alcohol-based products for hand disinfection are preferred over antimicrobial or plain soap and water because of their superior microbicidal activity, reduced drying of the skin, and convenience.
Personal protective equipment (PPE)	
GlovesGown	 For touching blood, body fluids, secretions, excretions, and contaminated items; for touching mucous membranes and nonintact skin During procedures and patient-care activities when contact of clothing/exposed skin with blood/body fluids, secretions, and excretions
Face/eye protection recommended by the Department of Health	 is anticipated During procedures and patient care activities likely to generate splash or spray of blood, body fluids, secretions, excretions

Pandemic Preparedness Plan – Appendix C – Isolation Precaution Standards

COMPONENT	RECOMMENDATIONS
Safe work practices	Avoid touching eyes, nose, mouth, or exposed skin with contaminated hands (gloved or ungloved); avoid touching surfaces with contaminated gloves and other PPE that are not directly related to patient care (e.g., door knobs, keys, light switches).
Patient resuscitation	Avoid unnecessary mouth-to-mouth contact; use mouthpiece, resuscitation bag, or other ventilation devices to prevent contact with mouth and oral secretions.
Soiled patient care equipment	Handle in a manner that prevents transfer of microorganisms to oneself, others, and environmental surfaces; wear gloves if visibly contaminated; perform hand hygiene after handling equipment.
Soiled linen and laundry	Handle in a manner that prevents transfer of microorganisms to oneself, others, and to environmental surfaces wear gloves (gown if necessary) when handling and transporting soiled linen and laundry; and perform hand hygiene.
Needles and other sharps	Use devices with safety features when available; do not recap, bend, break or hand-manipulate used needles; if recapping is necessary, use a one-handed scoop technique; place used sharps in a puncture-resistant container.
Environmental cleaning and disinfection	Use EPA-registered hospital detergent-disinfectant; follow standard facility procedures for cleaning and disinfection of environmental surfaces; emphasize cleaning/disinfection of frequently toughed surfaces (e.g., bed rails, phones, lavatory surfaces).
Disposal of solid waste	Contain and dispose of solid waste (medical and non-medical) in accordance with facility procedures and/or local or state regulations; wear gloves when handling waste; wear gloves when handling waste containers; perform hand hygiene.
Respiratory hygiene/cough etiquette Source control measures for persons with symptoms of a respiratory infection; implement at first point of encounter (e.g., triage/reception areas) within a healthcare setting.	Cover the mouth/nose when sneezing/coughing; use tissues and dispose inno-toguch receptacles; perform hand hygiene after contact with respiratory secretions; wear a mask (procedure or surgical) if tolerated; sit or stand as far away as

<u>Pandemic Preparedness Plan –</u> <u>Appendix C – Isolation Precaution</u> <u>Standards</u>

COMPONENT	RECOMMENDATIONS
	possible (more than 3 feet) from persons who are not ill.

- 4. RESOURCES
- 5. REFERENCES
- 6. APPENDIX
- 7. OWNER

Infection Prevention Coordinator

8. APPROVER

Infection Prevention Coordinator